


FLIGHTCASES - HARDWARE






RKL20

19" standard rack with double opening

- Engineered in plywood, 5 mm thickness
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly lockers, steel handles
- Rack bars on front and rear side with mounting kit included (code ACBR3870KIT)
- Mounting depth: 200 mm

Code	Unit/cm	Locks	Handles
RKL2002	2/8.9	4	2
RKL2003	3/13.35	4	2
RKL2004	4/17.8	4	2
RKL2005	5/22.25	4	2




RKL50

19" standard rack with double opening

- Engineered in plywood, 5 mm thickness
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly lockers, steel handles
- Rack bars on front and rear side with mounting kit included (code ACBR3870KIT)
- Mounting depth: 380 mm

Code	Unit/cm	Locks	Handles
RKL5002	2/8.9	4	2
RKL5004	4/17.8	4	2
RKL5006	6/26.7	4	2
RKL5008	8/35.6	4	2
RKL5010	10/44.6	4	4
RKL5012	12/53.5	4	2



Accessories (optional)



RK50SK

4 wheelbases for flight cases


- Engineered in plywood with black finish
- 4 swivel casters (2 with brakes)
- Compatibility: RKL50 series

RKL60

19" standard rack with double opening

- Engineered in plywood, 6 mm thickness
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly lockers, steel handles
- Rack bars on front and rear side with mounting kit included (code ACBR3870KIT)
- Mounting depth: 460 mm

Code	Unit/cm	Locks	Handles
RKL6002	2/8.9	4	2
RKL6004	4/17.8	4	2
RKL6006	6/26.7	4	2
RKL6008	8/35.6	4	2
RKL6010	10/44.6	4	2
RKL6012	12/53.5	4	2



Accessories (optional)



RK60SK

4 wheelbases for flight cases

- Engineered in plywood with black finish
- 4 swivel casters (2 with brakes)
- Compatibility: RKL60/63 series

RKL63

19" combo standard rack with triple opening

- Ideal for 19" standard rack mounting mixers with max. 9 units
- Horizontal 19" rack bars equipped with tilt mechanism for an easy use of the mixer
- Engineered in plywood, 6 mm thickness
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly lockers, steel handles
- Rack bars on front and rear side with mounting kit included (code ACBR3870KIT)
- Mounting depth: 460 mm

Code	Unit/cm	Mixer Unit/cm	Handles	Locks
RKL6304	4/17.8	2/8.9	4	6
RKL6306	6/26.7	2/8.9	4	6
RKL6308	8/35.6	2/8.9	4	6
RKL6310	10/44.5	2/8.9	4	6
RKL6312	12/53.4	2/8.9	4	6
RKL6314	14/62.3	2/8.9	4	6



RKS90

19" standard rack with double opening

- Engineered in plywood, 9 mm thickness
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly lockers, steel handles
- Rack bars on front and rear side with mounting kit included (code ACBR3870KIT)
- Mounting depth: 520 mm

Code	Unit/cm	Handles	Locks	Code	Unit/cm	Handles	Locks
RKS9002	2/8.9	4	4	RKS9012	12/53.4	4	4
RKS9004	4/17.8	4	4	RKS9014	14/62.3	4	4
RKS9006	6/26.7	4	4	RKS9016	16/71.2	4	8
RKS9008	8/35.6	4	4	RKS9018	18/80.1	4	8
RKS9010	10/44.5	4	4	RKS9020	20/89.0	4	8
				RKS9024	24/106.8	4	8





RKS93

19" combo standard rack with triple opening

- Ideal for 19" standard rack mounting mixers with max. 10 units
- Horizontal 19" rack bars equipped with tilt mechanism for an easy use of the mixer
- Engineered in plywood, 9 mm thickness
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly lockers, steel handles
- Rack bars on front and rear side with mounting kit included (code ACBR3870KIT)
- Mounting depth: 520 mm

Code	Unit/cm	Mixer Units/cm	Handles	Locks
RKS9304	2/8.9	4/17.8	4	6
RKS9306	2/8.9	6/26.7	4	6
RKS9308	2/8.9	8/35.6	4	6
RKS9310	2/8.9	10/44.5	4	6
RKS9312	2/8.9	12/53.4	4	6
RKS9314	2/8.9	14/62.3	4	6




RK60SK

Accessories (optional)



4 wheelbases for flight cases

- Engineered in plywood with black finish
- 4 swivel casters (2 with brakes)
- Compatibility: RKL60/63 series




Accessories (optional)



RK90SK

4 wheels base for flight cases


- Engineered in plywood with black finish
- 4 swivel casters (2 with brakes)



FCG35

Sturdy flight case for generic use


- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, steel handles, butterfly locks
- Inner ethafoam stuffing
- Measures (WxHxD): 400x300x300 mm



FCG58

Sturdy flight case for generic use


- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, steel handles, butterfly locks
- Inner ethafoam stuffing
- Measures (WxHxD): 500x300x390 mm



FCG78

Sturdy flight case for generic use


- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, steel handles, butterfly locks
- Inner ethafoam stuffing
- Measures (WxHxD): 500x400x390 mm



FCG118

Sturdy flight case for generic use


- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, steel handles, butterfly locks
- Inner ethafoam stuffing
- Measures (WxHxD): 590x400x500 mm



FCG163

Sturdy flight case for generic use


- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly locks
- Steel carrying handles with plastic shall for an easy transportation
- Inner ethafoam stuffing
- Skate in plywood with 4 swivel casters of which two with brakes
- Measures (WxHxD): 1020x400x400 mm



FCG192

Sturdy flight case for generic use


- Comfortably suitable for up to 25 microphone stands
- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly locks
- Steel carrying handles with plastic shall for an easy transportation
- Inner ethafoam stuffing
- Skate in plywood with 4 swivel casters of which two with brakes
- Measures (WxHxD): 1200x400x400 mm



FCG306

Sturdy flight case for generic use


- Engineered in 9 mm plywood
- Laminated plastic covering, black inner painted
- Aluminium draw pieces, butterfly locks
- Steel carrying handles with plastic shall for an easy transportation
- Inner ethafoam stuffing
- Skate in plywood with 4 swivel casters of which two with brakes
- Measures (WxHxD): 1200x510x500 mm



FCW272

Sturdy custom with drawer and self-contained workstation


- Case lid featuring folding legs
- Engineered in 9 mm plywood
- Laminated plastic covering, inner stuffing
- Aluminium draw pieces, handles, butterfly lockers made of steel
- Skate in plywood with 4 swivel casters of which two with brakes



FCW218

Sturdy custom with drawer and self-contained workstation

- Case lid featuring folding legs
- Engineered in 9 mm plywood
- Laminated plastic covering, inner stuffing
- Aluminium draw pieces, handles, butterfly lockers made of steel
- Base with 4 swivel casters of which two with brakes



FCPULSEMX

Flight case with internal compartments designed to contain PulseMX controller

- Measures (WxHxD): 77x37.5x22 cm




FCA23

Sturdy flight case to house 12 microphones


- Provided with partition and removable internal stuffing
- Engineered in 6 mm plywood
- Laminated plastic covering
- Aluminium draw pieces, steel handles, butterfly lockers
- Inner shaped stuffing in order to secure contents
- Measures (WxHxD): 420x270x210 mm




Internal View



← 25,5 → | ← 12 →



← 42 cm →



← 21 cm →
↑ 27 cm ↓


FCA36

Sturdy flight case to house 16 microphones


- Provided with comfortable partition and removable internal stuffing
- Engineered in 6 mm plywood
- Laminated plastic covering
- Aluminium draw pieces, steel handles, butterfly lockers
- Inner shaped stuffing in order to secure the contents
- Measures (WxHxD): 480x270x280 mm




Internal View



← 26 → | ← 17,5 →



← 48 cm →



← 28 cm →
↑ 27 cm ↓


FCA40

Sturdy flight case to house 24 microphones


- Provided with comfortable partition and removable internal stuffing
- Engineered in 6 mm plywood
- Laminated plastic covering, embossed finish, black inner painted
- Aluminium draw pieces, steel handles, butterfly lockers
- Ethafoam inner shaped stuffing in order to secure the contents
- Measures (WxHxD): 540x270x280 mm




Internal View



← 37,5 → | ← 12 →



← 54 cm →



← 28 cm →
↑ 27 cm ↓

FCAR22

Sturdy custom flight case to house PROAUDIO LD/LDST stage boxes.

- Engineered in 9 mm plywood
- Laminated plastic covering, inner stuffing
- Aluminium draw pieces, steel handles, butterfly lockers
- Skate in plywood with 4 swivel casters of which two with brakes
- Dimensions (WxHxD): 710x610x520 mm





Code	Units	Holes
RPX4	1	4
RPX6	1	6
RPX8	1	8
RPX12	1	12
RPX16	1	16
RPX32	2	32
RPX48	3	48



- 4 rack units ventilation panel.**
- Holes and splits for three 120x120 mm fans.
 - Colour: black



- 1 rack unit ventilation panel.**
- Color: black.



- 1 rack unit ventilation panel.**
- 16 holes for 6.3 mm jack plugs.
 - Colour: black




- 1/2 rack unit blind panel.**
- Colour: black


Code	Units/cm
RP05	1/2 / 2.225
RP1	1 / 4.45
RP2	2 / 8.9
RP3	3 / 13.35
RP4	4 / 17.8
RP5	5 / 22.25
RP6	6 / 26.7



- 1 rack unit panel1 rack unit panel**
- 5 holes for unipolar connectors.
 - Colour: black



- 2 standard rack units pre-bored panel**
- DIN bar (included) for switches assembling and sockets up to on DIN bar
 - Up to 23 modules mounting capability




- 4 standard rack units pre-bored panel**
- Removable front panel for an easy inspection
 - DIN bar for magneto-thermic switches assembling
 - Up to 24 modules mounting capability



- 3U/19" rack panel**
- designed for 6 DIN modules
 - DIN bar included

974108



4U/19" rack panel

- designed for 1 CEE connection
- 8 modules DIN slot
- DIN bar included.

Compatible connections	Code
Socket 32A	912413 - 912414 - 912415
Socket 63A	913413 - 913414 - 913415
Plug 63A	913313 - 913314 - 913315

972400



2U/19" rack panel

- designed for 4 CEE connections

Compatible connections	Code
Socket 16A	911413 - 911414 - 911415
Plug 16A	911313 - 911314 - 911315
Socket 32A	912423 - 912424 - 912425
Plug 32A	912313 - 912314 - 912315

973106




3U/19" rack panel

- designed for 1 CEE connection
- 6 modules DIN slot
- DIN bar included

Compatible connections	Code
Socket 32A	912413 - 912414 - 912415
Socket 63A	913413 - 913414 - 913415
Plug 63A	913313 - 913314 - 913315

974212



4U/19" rack panel

- designed for 2 CEE connections
- 12 modules DIN slot
- DIN bar included

973306




3U/19" rack panel

- designed for 3 CEE connections
- 6 modules DIN slot
- DIN bar included

Compatible connections	Code
Socket 16A	911413 - 911414 - 911415
Plug 16A	911313 - 911314 - 911315
Socket 32A	912423 - 912424 - 912425
Plug 32A	912313 - 912314 - 912315

976321




4U/19" rack panel

- designed for 3 CEE connections
- 21 modules DIN slot
- DIN bar included

Compatible connections	Code
Socket 32A	912413 - 912414 - 912415
Socket 63A	913413 - 913414 - 913415
Plug 63A	913313 - 913314 - 913315

975111



5U/19" rack panel

- designed for 1 CEE connection
- 11 modules DIN slot
- DIN bar included

Compatible connections	Code
Socket 125A	914313 - 914314 - 914315
Plug 125A	914413 - 914414 - 914415

972600




2U/19" rack panel

- designed for 6 CEE connections.

Compatible connections	Code
Socket 16A	911413 - 911414 - 911415
Plug 16A	911313 - 911314 - 911315
Socket 32A	912423 - 912424 - 912425
Plug 32A	912313 - 912314 - 912315

974300




4U/19" rack panel

- designed for 3 CEE connections

Compatible connections	Code
Socket 32A	912413 - 912414 - 912415
Socket 63A	913413 - 913414 - 913415
Plug 63A	913313 - 913314 - 913315

RP1AD RP2AD



Universal metal adapter Standard 19" rack 1U

Metal black finish

Measures (WxD): 440x255 mm

Weight: 1.6 kg

- 19" standard rack 2U

Code		Measures (WxD)	Weight
RP1AD		440x255 mm	1.6 kg
RP2AD		440x375 mm	2.8 kg

RP1S



Sliding metal shelf

- Standard 19" rack 1U
- Colour: black
- Measures (WxD): 440x370 mm
- Weight: 5 kg

RPT1



RPT2



2U 19" rack panel for protection/safety of devices

- Made of glossy plexiglass

RP2D RP3D RP4D



Universal drawer with key lock.

- 19" standard rack 4U.
- Metal black finish.

Code	Units	Inner Measures (LxHxD)	Weight
RP2D	2	410x70x450 mm	4.5 kg
RP3D	3	410x115x450 mm	6 kg
RP4D	4	410x160x450 mm	7.5 kg

RP1B RP2B RP3B RP4B



Universal metal box

- 19" standard rack 3U (RP3B) and 4U (RP4B)
- Colour: black


Code	Units	Weight
RP1B	1	1 kg
RP2B	2	1.5 kg
RP3B	3	2 kg
RP4B	4	2.1 kg



ACRT4230EU

100 mm diameter swivel castor


- Made in EU
- Double ball-bearing
- Zinc plated steel frame
- Resilex rubber wheel blue colour
- 4 x 9 mm diameter fixing holes
- Load limit for a set of 4 wheels: 350 kg



ACRT4234EU

100 mm diameter swivel castor with brake

- Made in EU
- Double ball-bearing
- Zinc plated steel frame
- Resilex rubber wheel blue colour
- 4 x 9 mm diameter fixing holes
- Load limit for a set of 4 wheels: 350 kg



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

